Attorney's Docket No.: 08168-053001

Applicant: Walker et al. Serial No.: 10/702,198

Filed: November 4, 2003

Page : 3 of 9

ì

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

(Withdrawn) A water feature for a spa, comprising:
a ridge in an interior area of the spa and having a top disposed near a water line of the spa;

a water inlet adjacent to the ridge opposite a main body of water area in the interior area, the water inlet being placed lower than the top of the ridge; and

a slope descending from the top of the ridge in the direction of the water inlet, the slope having a patterned top surface configured to interact with water flowing over the ridge, down the slope and toward the water inlet.

- 2. (Withdrawn) The water feature in accordance with claim 1, further comprising a first water inlet and a second water inlet disposed on opposite sides of the slope.
- 3. (Withdrawn) The water feature in accordance with claim 1, wherein the water inlet is adjacent to a side wall of the spa, and wherein the slope descends to the side wall at a position lower than the top of the ridge.
- 4. (Withdrawn) The water feature in accordance with claim 1, wherein the ridge is curved, and at least partially curves around the water inlet.
- 5. (Withdrawn) The water feature in accordance with claim 1, wherein the slope includes one or more protrusions.

Attorney's Docket No.: 08168-053001

Applicant: Walker et al. Serial No.: 10/702,198

Filed: November 4, 2003

Page : 4 of 9

ŀ.

ì

6. (Withdrawn) The water feature in accordance with claim 1, wherein the slope includes one or more grooves.

7. (Withdrawn) The water feature in accordance with claim 1, wherein an angle of the slope is adjustable.

8. (Withdrawn) The water feature in accordance with claim 5, wherein a size of at least one of the one or more protrusions is adjustable.

9. (Withdrawn) The water feature in accordance with claim 1, further comprising a light feature disposed at or near the top of the ridge, and configured to provide light to the water flowing over the ridge and/or down the slope.

10. (Withdrawn) The water feature in accordance with claim 9, wherein the light feature includes a plurality of light emitting diodes (LEDs).

11. (Withdrawn) The water feature in accordance with claim 9, wherein the light feature includes one or more colors.

12. (Withdrawn) A method of providing an audibly pleasing sound with water in a spa, the method comprising:

flowing water over a top of a ridge in an interior area of the spa and disposed at or below a water line;

flowing water down a slope descending from the top of the ridge to a level below the top of the ridge, the slope having a patterned top surface configured to interact with water; and

interacting water with the patterned top surface to produce a flowing water sound.

Applicant: Walker et al. Attorney's Docket No.: 08168-053001

Serial No.: 10/702,198

Filed: November 4, 2003

Page : 5 of 9

ċ

13. (Currently Amended) A curvilinear spa shell, comprising:

a top edge defining <u>an interior of the spa shell</u>, the top edge having four rounded concave corners that are concave relative to the interior, each <u>corner</u> having a radius that exceeds twelve inches, <u>and</u> four convex-curved side walls that are convex relative to the interior, each side wall connected between connecting two of the concave corners;

wherein the top edge is substantially symmetrical <u>both</u> about an axis-through the <u>eenter of opposing that bisects the interior through two</u> side walls; and

wherein the top edge is substantially symmetrical about, and about an axis through the center of opposing concave that bisects the interior through two corners.

- 14. (Original) The curvilinear spa shell in accordance with claim 13, further comprising a water feature.
- 15. (Currently Amended) The curvilinear spa shell in accordance with claim 13, further comprising a filter section that extends from one side wall toward the interior between two concave corners and toward the center of the top edge.